

## LITERATURE USED FOR THE COMPILATION OF THE DATA SETS

Admiraal, W., Bouwman, L. A., Hoekstra, L. & Romeyn, K. Qualitative and Quantitative Interactions between Microphytobenthos and Herbivorous Meiofauna on a Brackish Intertidal Mudflat. *Int. Revue ges. Hydrobiol.* 68, 175-191 (1983)

Aerts R (1989) Aboveground biomass and nutrient dynamics of *Calluna vulgaris* and *Molinia caerulea* in a dry heathland. *Oikos* 56: 31-38

Aerts, R., B.S. Waller and N. Malmer. 1992. Growth limiting nutrients in Sphagnum dominated bogs subject to low and high atmospheric nitrogen supply. *J. Ecology* 80: 131-140

Aizaki M, Takamura N (1991) Regeneration of nutrient and detritus formation from aerobic decomposition of natural phytoplankton. *Jpn J Limnol* 52:83-94

Albright LJ, Chocair J, Masuda K, Valdes M (1980) In situ degradation of the kelps *Macrocystis integrifolia* and *Nereocystis luetkeana* in British Columbia coastal waters. *Nat Can* 107: 3-10

Andersen FO (1978) Effects of nutrient level on the decomposition of *Phragmites communis* Trin Arch *Hydrobiol* 84: 42-54.

Andersen, F. and E. Kristensen. 1988. The influence of macrofauna on estuarine benthic community metabolism: a microcosm study. *Mar. Biol.* 99:591-603.

Anderson, M. G. Use of sago pondweed by waterfowl on the Delta Marsh, Manitoba. *J. Wildl. Manage.* **40**, 233-242 (1976)

Anderson, M.R., Cardinal A. and Larochelle J. (1981). An alternate growth pattern for *Laminaria longicruris*. *J. Phycol.* 17: 405-411.

Arndt, H., M. Kroker, B. Nixdorf, and A.Kohler. 1993. Long-term annual and seasonal changes of meta- and protozooplankton in Lake Muggelsee (Berlin): Effects of eutrophication grazing activities, and the impact of predation. *Int. Revue ges. Hydrobiol.* 78:379-402.

Atkinson, M. J., R. W. Grigg (1984). Model of a coral reef ecosystem: II. Gross and net benthic primary production at French Frigate Shoals, Hawaii. *Coral Reefs* 3: 13-22

Auclair, A. N. D., Bouchard, A. & Pajaczkowski, J. Productivity in a *Carex*-dominated ecosystem. *Oecologia* **26**, 9-31 (1976)

Aziz, S.A and D.B. Nedwell. 1986. The nitrogen cycle of an east coast, U.K. saltmarsh: I. Nitrogen assimilation during primary production: Detrital mineralization. *Est. Coast. Shelf Sci.* 22: 559-575

- Bach, S. D., M. N. Josselyn (1979). Production and biomass of *Cladophora prolifera* (Chlorophyta, Cladophorales) in Bermuda. *Bot. Mar.* 22: 163-168.
- Bach, S., G. Thayer and M. LaCroix 1986. Export of detritus from eelgrass (*Zostera marina*) beds near Beaufort, North Carolina, USA. *Mar. Ecol. Prog. Ser.* 28: 265-278.
- Baird, D. and R. E. Ulanowicz. 1989. The Seasonal Dynamics of the Chesapeake Bay Ecosystem. *Ecol. Monogr.* 59: 329-364.
- Baird, D. and R. E. Ulanowicz. 1993. Comparative study on the trophic structure, cycling and ecosystem properties of four tidal estuaries. *Mar. Ecol. Prog. Ser.* 99: 221-237.
- Bak, R. 1994. Sea urchin bioerosion on coral reefs: place in the carbonate budget and relevant variables. *Coral Reefs* 13: 99-103.
- Baldwin, J. R. and J. R. Lovvorn. 1994. Expansion of seagrass habitat by the exotic *Zostera japonica* and its use by dabbling ducks and brant in Boundary Bay, British Columbia. *Mar. Ecol. Prog. Ser.* 103: 119-127.
- Barko, J. W., Murphy, P. G. & Wetzel, R. G. An investigation of primary production and ecosystem metabolism in a Lake Michigan dune pond. *Arch. Hydrobiol.* **81**, 155-187 (1977).
- Bastardo H (1979). Laboratory studies on decomposition of littoral plants. *Arch. Hydrobiol.* 26: 267-299.
- Bayley SE, Zoltek J Jr, Hermann AJ, Dolan TJ, Tortora L (1985). Experimental manipulation of nutrients and water in a freshwater marsh: effects on biomass, decomposition, and nutrient accumulation. *Limnol. Oceanogr* 30: 500-512.
- Behrendt, H. 1990. The chemical composition of phytoplankton and zooplankton in an eutrophic shallow lake. *Arch. Hydrobiol.* 118:129-145.
- Benner R, Fogel ML, Sprague EK (1991) Diagenesis of belowground biomass of *Spartina alterniflora* in salt-marsh sediments. *Limnol. Oceanogr.* 36: 1358-1374.
- Bernard, J.M and B.A. Solsky. 1977. Nutrient cycling in a *Carex lacustris* wetland. *Can. J. Bot.* 55: 630-638
- Best EPH, Dassen JHA, Boon JJ, Wiegers G (1990). Studies on decomposition of *Ceratophyllum demersum* litter under laboratory and field conditions: losses of dry mass and nutrients, qualitative changes in organic compounds and consequences for ambient water and sediments. *Hydrobiologia* 194: 91-114.
- Biddanda BA (1988) Microbial aggregation and degradation of phytoplankton-derived detritus in seawater. II. Microbial metabolism. *Mar Ecol Prog Ser* 42: 89-95

- Bienfag, P. and D. Zieman. 1992. The role of Coastal High Latitude Ecosystems in Global Export Production , p. 285-298. *In* P. Falkowski and A. Woodhead [eds], Primary Productivity and Biogeochemical Cycles in the Sea. Plenum Press.
- Billings, W. D. Carbon balance of Alaskan tundra and taiga ecosystem: past, present and future. *Quat. Sci. Rev.* **6**, 165-177 (1987).
- Birch PB, Gabrielson JO, Hamel KS (1983) Decomposition of *Cladophora*. I Field studies in the Peel-Harvey estuarine system, Western Australia. *Bot Mar* 26: 165-171
- Bishop, J.K.B., J.M. Edmund, D.R. Ketter, M.P. Baeen and W.B. Silver. 1977. The chemistry, biology and vertical flux of particulate matter from the upper 400m of the equatorial Atlantic Ocean. *Deep-Sea Res.* 24: 511-548
- Bliss, L. C. in *Structure and Function of Tundra Ecosystems* (eds Rosswall, T. & Heal, O.) 17-60 (Tundra Biome Steering Committee, Stockholm, 1975).
- Blum, L. 1993. *Spartina alterniflora* root dynamics in a Virginia marsh. *Mar. Ecol. Prog. Ser.* 102:169-178.
- Boring, L.R., C.D. Monk, and W.T. Swank (1981) Early regeneration of a clear-cut southern Appalachian forest. *Ecology* 62(5):1244-1253
- Boyd, C.E. 1970. Production, mineral accumulation and pigment concentrations in *Typha latifolia* and *Scirpus americanus* *Ecology* 51: 285-290
- Boyd, C.E. 1971. The dynamics of dry matter and chemical substances in a *Juncus effusus* population. *Am. Midl. Nat.* 86: 28-45
- Boyer, M.L.H. and B.D. Wheeler. 1989. Vegetation patterns in spring-fed calcareous fens: calcite precipitation and constraints on fertility. *J. Ecology* 77: 597-609
- Bray, J. R. Primary consumption in three forest canopies. *Ecology*, **45**, 165-167 (1964).
- Breteler RJ, Teal JM (1981) Trace elements enrichments in decomposing litter of *Spartina alterniflora*. *Aquat. Bot.* 11: 111-120
- Briggs SV, Maher MT, Tongway DJ (1985) Dry matter and nutrient loss from decomposing *Vallisneria spiralis* L. *Aquat. Bot.* 22: 387-392.
- Brouwer PEM. 1996. Decomposition in situ of the sublittoral Antarctic macroalgae *Desmarestia anceps* Montagne. *Polar Biol.* 16: 129-137
- Brown S, Flohrschutz EW, Odum HT. 1984. Structure, productivity and phosphorus cycling of the scrub cypress ecosystem. *In*: KC Ewel and HT Odum (eds): "Cypress swamps", University Presses of Florida. Gainesville, Fla. pp. 304-317

- Burns, K., M. Ehrhardt, B. Hows and G. Taylor. 1993. Subtidal Benthic Community Respiration and production near the heavily oiled Gulf Coast of Saudi Arabia. *Mar. Pollut. Bul.* 27: 199-205.
- Bustamante, R. H., Branch, G. M., Eekhout, S., Robertson, B., Zoutendyk, P., Schleyer, M., Dye, A., Hanekom, N., Keats, D., Jurd, M. and McQuaid, C. 1995. Gradients of intertidal primary productivity around the coast of South Africa and their relationships with consumer biomass. *Oecologia* 102: 189-201.
- Buth, G. 1987. Decomposition of roots of three plant communities in a dutch salt marsh. *Aquat. Bot.* 29:123-128.
- Bythell, J., E. Gladfelter and M. Bythell. 1993. Chronic and catastrophic natural mortality of three common Caribbean reef corals. *Coral Reefs* 12:143-152.
- Cadee, G. C., J. Hegeman (1977). Distribution of primary production of the benthic microflora and accumulation of organic matter on a tidal flat area, Balgzand, Dutch Wadden Sea. *Neth. J. Sea Res.* 11: 24-41
- Cahoon, D. and J. Stevenson. 1986. Production, predation and decomposition in a low-salinity *Hibiscus* marsh. *Ecology* 67:1341-1350.
- Cammen, L. M. 1980. The significance of microbial carbon in the nutrition of the deposit feeding polychaete *Nereis succinea*. *Mar. Biol.* 61: 9-20.
- Carpenter, R. C. Partitioning herbivory and its effects on coral reef algal communities. *Ecol. Monogr.* 56, 345-363 (1986).
- Cattaneo, A. Grazing on epiphytes. *Limnol. Oceanogr.* **28**, 124-132 (1983).
- Cebrian, J and C.M. Duarte. 1998. Patterns in leaf herbivory on seagrasses. *Aquatic Botany* 60: 67-82
- Cebrian, J., C. M. Duarte, N. Marbà, S. Enríquez, M. Gallegos and B. Olesen. 1996. Herbivory on *Posidonia oceanica* (L.) Delile: magnitude and variability in the Spanish Mediterranean. *Mar. Ecol. Progr. Ser.* 130: 147-155.
- Cebrián, J., C. M. Duarte, N. Marbà and S. Enríquez. 1997. The magnitude and fate of production of four co-occurring Western Mediterranean seagrass species. *Mar. Ecol. Progr. Ser.* 155 : 29-44
- Cebrian J., M. F. Pedersen, K. Kroeger, I. Valiela. 2000. Fate of production of the seagrass *Cymodocea nodosa* in different stages of meadow formation. *Mar. Ecol. Progr. Ser.* 204:119-130
- Chapin III, F. S., P. C. Miller, W. D. Billings and P. I Coyne. (1980). Carbon and nutrient budgets and their control in coastal tundra. In Brown, J., P. C. Miller, L. L. Tieszen and

- F. L. Bunnell (eds). An Arctic Ecosystem: The Coastal Tundra at Barrow, Alaska. Chapter 12, pp. 458-482. Dowden, Hutchinson and Ross Stroudsburg, Pennsylvania.
- Chapman ARO, Craigie JS. 1978. Seasonal growth in *Laminaria longicruris*: relations with reserve carbohydrate storage and production. *Mar. Biol.* 46: 209-213
- Chavez, F., K. Buck, K. Coale, J. Martin, G. DiTullio, N. Welschmeyer, A. Jacobsen and R. Barber. 1991. Growth rates, grazing, sinking and iron limitation of equatorial pacific phytoplankton. *Limnol. Oceanogr.* 36: 1816-1833.
- Chew, R. M. & Chew, A. E. Energy relationships of the mammals of a desert shrub (*Larrea tridentata*) community. *Ecol. Monogr.* **40**, 1-21 (1970).
- Christensen, B. (1978). Biomass and primary production of *Rhizophora apiculata* in a mangrove in Southern Thailandia. *Aquat. Bot.* 4: 43-52.
- Cloern, J., Cole, B. & Wienke, S. Big Soda Lake (Nevada). 4. Vertical fluxes of particulate matter: seasonality and variations across thermocline. *Limnol. Oceanogr.* **32**, 815-824 (1987).
- Clymo, R. S. The limits to peat bog growth. *Phil. Trans. R. Soc. B.* **303**, 605-654 (1984)
- Coppock, D. L., Detling, J. K., Ellis, J. E. & Dyer, M. I. Plant-Herbivore Interactions in a North American Mixed-Grass Prairie. *Oecologia* **56**, 1-56 (1983)
- Coveney, M. F., Cronberg, G., Enell, M., Larsoon, H. & Olofsson, L. Phytoplankton, zooplankton and bacteria-standing crop and production relationships in a eutrophic lake. *Oikos* **29**, 5-21 (1977).
- Craft CB, Broome SW and Seneca ED. 1988. Soil nitrogen, phosphorus and organic carbon in transplanted estuarine marshes. In DD Hook, WH McKee, HK Smith, J Gregory, VG Burrell Jr. Mr. DeVoe, RE Sojka, S Gilbert, R Banks, LH Stolzy, C Brooks, TD Matthews and TH Shear (eds.). pp. 351-355 *The Ecology and Managment of Wetlands*. Timber Press Portland (OR).
- Cushing, D. H. Grazing in Lake Erken. *Limnol. Oceanogr.* **21**, 349-356 (1976).
- Cyr, H. and M. L. Pace. 1993. Magnitude and patterns of herbivory in aquatic and terrestrial ecosytems. *Nature* 361: 148-150.
- Damman, A.W.H. 1978. Distribution and movement of elements in ombrotrophic peat bogs. *Oikos* 30: 480-495
- Darley, W. M., Montague, C. L., Plumley, F. G., Sage, W. W. & Psalidas, A. T. Factors limiting edaphic algal biomass and productivity in a Georgia salt marsh. *J. Phycol.* 17, 122-128 (1981).

Davis SM (1991) Growth, decomposition and nutrient retention of *Cladium jamaicense* Crantz and *Thypha domingensis* Pers. in the Florida everglades. *Aquat. Bot.* 40: 203-224.

Davis, M. and H. Lee. 1983. Recolonization of sediment-associated microalgae and effects of estuarine infauna on microalgal production. *Mar. Ecol. Prog. Ser.* 11: 227-232.

Davis, M. W., C. D. McIntire (1983). Effects of physical gradients on the production dynamics of sediments-associated algae. *Mar. Ecol. Prog. Ser.* 13: 103-114.

Day, F. P. Litter decomposition rates in the seasonally flooded great dismal swamp. *Ecology* **63**, 670-678 (1982).

Day, J., W. Smith, P. Wagner and W. Stone. 1973. Community structure and carbon budget of a salt marsh and shallow bay estuarine system in Louisiana. Center for Wetland Resources, Louisiana State University, Baton Rouge, Publ. NO. LSU-SG-72-04.

Day, T. A. and J. K. Detling. 1990. Grassland patch dynamics and herbivory grazing preference following urine deposition. *Ecology* 71: 180-188.

de la Cruz, A. A. The role of tidal marshes in the productivity of coastal waters. *Assoc. Southeast. Biol. Bull.* 20, 147-156 (1973)

DeAngelis, D. L., Gardner, R. H. & Shugart, H. H. in *Dynamic Properties of Forest Ecosystems* (ed Reichle, D. E.) 567-672 (Cambridge University Press, New York, 1981).

Drew, E. A., and R. M. Hastings. 1992. A year-round ecophysiological study of *Himantothallus grandifolius* (Desmarestiales, Phaeophyta) at Sygny Island, Antarctica. *Phycologia* 31:262-277.

Dunton, K.H. and Schell, D.M. 1986. Seasonal carbon budget and growth of *L. solidungula* in the Alaskan high arctic. *Mar. Ecol. Prog. Ser.* 31: 57-66

Durbin, E.G., Krawiec, R.W. and Smaydan, T.J. 1975. Seasonal studies on the relative importance of different size fractions of phytoplankton in Narragansett Bay, USA. *Marine Biology* 32:271-287.

Edroma, E. L. 1984. Effects of burning and grazing on the productivity and number of plants in Queen Elizabeth National Park, Uganda. *African Journal of Ecology* 22: 165-174.

Egan, B and Yarish, C. 1990. Productivity and life history of *L. longicuris* at its southern limit in the western atlantic ocean. *Mar. Ecol. Prog. Ser.* 67: 263-273

Emmerson, W. and L. McGwynne. 1992. Feeding and assimilation of mangrove leaves by the crab *Sesarma meinerti* de Man in relation to leaf-litter production in Myazana, a warm-temperate southern mangrove swamp. *J. Exp. Mar. Biol. Ecol.*, 157: 41-53.

- Erftemeier P., R. Osinga and M. Astrid. 1993. Primary production of seagrass beds in South Sulawesi (Indonesia): a comparison of habitats, methods and species. *Aquat. Bot.* 46: 67-90.
- Fahey TJ, Stevens PA, Hornung M, Rowland P (1991) Decomposition and nutrient release from logging residue following conventional harvest of Sitka spruce in North Wales. *Forestry* 64: 289-301
- Findlay, S, Howe K, Austin HK (1990) Comparison of detritus dynamics in two tidal freshwater wetlands. *Ecology* 71: 288-295.
- Flint, R. W. & Goldman, C. R. The effects of a benthic grazer on the primary productivity of the littoral zone of Lake Tahoe. *Limnol. Oceanogr.* **20**, 935-945 (1975).
- Flores Verdugo, F. J., J. W. Day, R. Briseno-Duenas (1987). Structure, litter fall, decomposition and detritus dynamics of mangroves in a Mexican coastal lagoon with an ephemeral inlet. *Mar. Ecol. Prog. Ser.* 35: 83-90.
- Frangi, J. L. & Lugo, A. E. Ecosystem dynamics of a subtropical floodplain forest. *Ecol. Monogr.* **55**, 351-369 (1985).
- Frank, D.A. and S.J. McNaughton (1992) The ecology of plants, large mammalian herbivores, and drought in Yellowstone National Park. *Ecology* 73(6):2043-2058
- Frankignoulle, M., J. Bouqueneau, E. Ernst, R. Biondo, M. Rigo and D. Bay. 1984. Contribution de l'activité de l'Herbier de Posidonies au Metabolisme global de la Baie de Calvi. *Premiers Resultats*, p. 277-282. *In* C. Boudouresque, A. Jeudy de Grissac and J. Olivier [eds.], *International Workshop Posidonia oceanica Beds (I) GIS Posidonie publ.*
- Frost, B. W. The role of grazing in nutrient-rich areas of the open sea. *Limnol. Oceanogr.* 36, 1616-1630 (1991)
- Gabrielson JO, Birch PB, Hamel KS. (1983). Decomposition of *Cladophora*. II. In vitro studies of nitrogen and phosphorus regeneration. *Bot Mar* 26: 173-179
- Gallagher, J.L., R.J. Reinhold, R.A. Linthurst and W.J. Pfeiffer. 1980. Aerial production, mortality and mineral accumulation-export dynamics in *S. alterniflora* and *J. roemerianus* plant stands in a georgia saltmarsh. *Ecology* 61: 303-312
- Gandar, M. V. The dynamics and trophic ecology of grasshoppers (Acridoidea) in a South African Savanna. *Oecologia* **54**, 370-378 (1982).
- Garber JH. 1984. Laboratory study of nitrogen and phosphorus remineralization during the decomposition of coastal plankton and seston. *Estuarine Coastal Shelf Sci* 18: 685-702
- Garnier, J. & Mourelatos, S. Contribution of grazing in phytoplankton overall losses in a shallow French lake. *Fresh. Biol.* **25**, 515-523 (1991).

- Gathuso, J., M. Pichon, B. Delesalle and M. Frankignoulle. 1993. Community metabolism and air-sea CO<sub>2</sub> fluxes in a coral reef ecosystem (Moore, French Polynesia). *Mar. Ecol. Prog. Ser.* 96: 259-267.
- Geertz-Hansen, O., Sand-Jensen, K., Hansen, D.F. and Christiansen, A. 1993. Growth and grazing control of abundance of marine macroalgae, *Ulva lactuca* L. in an eutrophic Danish estuary. *Aquat. Bot.* 46: 101-109.
- Gerard, V. 1976. Some aspects of material dynamics and energy flow in a kelp forest in Monterey Bay, California. Ph. D. Thesis, University of California, Santa Cruz.
- Gliwicz, Z. M. & Hillbricht-Ilkowska. Efficiency of the utilization of nannoplankton primary production by communities of filter feeding animals measured in situ. *Verh. Internat. Verein. Limnol.* **18**, 197-203 (1972).
- Godshalk GL, Wetzel RG (1978a) Decomposition of aquatic angiosperms. II Particulate components. *Aquat. Bot.* 5: 301-327.
- Godshalk GL, Wetzel RG (1978b). Decomposition of aquatic angiosperms. III *Zostera marina* L. and a conceptual model of decomposition. *Aquat. Bot.* 5: 329-354.
- Golley, F. B. 1960. Energy dynamics of a food chain of an old-field community. *Ecol. Monogr.* 30: 187-206.
- Golley, F., H. Odum and R. Wilson. 1962. The structure and metabolism of a Puerto Rican Red Mangrove Forest in May. *Ecology* 43: 8-19.
- Golterman HL (1972) The role of phytoplankton in detritus formation. *Mem Ist Ital Idrobiol* 29: 89-103
- Gosz, J. R., Holmes, R. T., Likens, G. E. & Bormann, F. H. The flow of Energy in a Forest Ecosystem. *Sci. Am.* **238**, 93-102 (1978).
- Gould, D. and E. Gallagher. 1990. Field measurement of specific growth rate, biomass and primary production of benthic diatoms of Savin Hill Cove, Boston. *Limnol. Oceanogr.* 35:1757-1770.
- Graneli, W. (1989). Influence of standing litter on shoot production in reed, *Phragmites australis*. *Aquat. Bot.* 35: 99-109.
- Gray, J. T. Community structure and productivity in *Ceanothus* chaparral and coastal sage scrub of southern California. *Ecol. Monogr.* **52**, 415-435 (1982).
- Greenway, M. The grazing of *Thalassia testudinum* in Kingston Harbour, Jamaica. *Aquat. Bot.* 2, 117-126 (1976).



Grier, C. C. & Logan, R. S. Old-growth *Pseudotsuga menziesii* communities of a western Oregon watershed: biomass distribution and production budgets. *Ecol. Monogr.* **47**, 373-400 (1977).

Grodzinski, W., A. Gorecki, K. Janas and P. Migula. 1966. Effect of rodents on the primary productivity of alpine meadows in Bierzezady mountains. *Acta Theriol.* **11**: 419-431.

Gulati, R. D. A study on the role of herbivorous zooplankton community as primary consumers of phytoplankton in Dutch lakes. *Verh. Internat. Verein. Limnol.* **19**, 1202-1210 (1975).

Haines EB, Hanson RB (1979) Experimental degradation of detritus made from the salt marsh plants *Spartina alterniflora* Loisel, *Salicornia virginica* L. and *Juncus roemerianus* Scheele. *J Exp mar Biol Ecol* **40**: 27-40

Hanisak, M.D. 1979. Nitrogen limitation of *C. Fragile* ssp. *tomentosoides* as determined by tissue analysis. *Marine Biology* **50**: 333-337

Hansen, J. A., D. Klumpp, D. Alongi, P. Dayton and M. Riddle. 1992. Detrital pathways in a coral reef lagoon. II. Detritus deposition, benthic microbial biomass and production. *Mar. Biol.* **113**: 363-372.

Harris, W. F., Sollins, P., Edwards, N. T., Dinger, B. E. & Shugart, H. H. in *Productivity of the world systems. Proceedings of a Symposium* (eds Reichle, D., Franklin, J. & Goodall, D.) 116-122 (National Academy of Sciences, Washington, D.C, 1975).

Harrison PG (1982) Control of microbial growth and of amphipod grazing by water soluble compounds from leaves of *Zostera marina*. *Mar Biol* **67**: 225-230

Harrison PG (1989) Detrital processing in seagrass systems: a review of factors affecting decay rates, remineralization and detritivory. *Aquat Bot* **23**: 263-288

Harrison, W. G., E. Head, E. Horne, B. Irwin, W. Li, A. Longhurst, M. Paranjape and T. Platt. 1993 The Western North Atlantic Bloom Experiment. *Deep-Sea Res.* **40**: 279-305.

Hatcher, B.G., S. V. Smith and C. Crossland. 1992. The role of Coral Reefs in Global Ocean Production, p. 513-514. *In* P. Falkowski and A. Woodhead [eds.], *Primary Productivity and Biogeochemical Cycles in the Sea*. Plenum Press.

Haukioja, E. and Koponen S. 1975. Birch herbivores and herbivory at Kevo. *In* *Fennoscandian Tundra Ecosystems. Part 2. Animals and System Analyses* (ed. Wielgolaski, F. E.) 181-188 (Springer, Heidelberg).

Hauxwell J, McClelland J, Behr PJ, Valiela I. 1998. Relative importance of grazing and nutrient controls of macroalgal biomass in three temperate shallow estuaries. *Estuaries* **21**: 347-360

Hauxwell, J., J. Cebrian and I. Valiela. 2002. Annual growth dynamics of eelgrass (*Zostera marina* L.) in estuaries of Waquoit Bay, MA, USA: Relationship to land-derived nitrogen loads and effect on light supply for eelgrass. *Mar. Ecol. Prog. Ser.* (in press).

Heal, O. W. in *Tundra Biome. Proceedings IV International Meeting on the Biological Productivity of Tundra* (eds Wielgolaski, F. & Rosswall, T. ) 295-305 (Tundra Biome Steering Committee, Stockholm, 1972).

Hemmings MA, Buth GJC (1991) Decomposition in salt marsh ecosystems of the SW Netherlands: the effects of biotic and abiotic factors. *Vegetatio* 92: 73-83

Hemmings MA, Nieuwenhuize J (1991) Transport, deposition and "in situ" decay of seagrasses in a tropical mudflat area (Banc d'Arguin, Mauritania). *Neth J Sea Res* 27: 183-190

Hill BH (1979) Uptake and release of nutrients by aquatic macrophytes. *Aquat. Bot.* 7: 87-93.

Hodges, C., T. Thompson, J. Riley and E. Glenn. 1993. Reversing the flow: water and nutrients from the sea to the land. *Ambio* 22: 483-490.

Holligan, P.M., P. J. leB. Williams, D. Purdie and R. Harris. 1984. Photosynthesis, respiration and nitrogen supply of plankton populations in stratified, frontal and tidally mixed shelf waters. *Mar. Ecol. Prog. Ser.* 17:201-213.

Holligan P., E. Fernández, J. Aiken, W. Balch, P. Boyd, P. Burkill, M. Finch, S. Groom, G. Malin, K. Muller, D. Purdie, C. Robinson, C. Trees, S. Turner and P. van der Wal. 1993. A Biogeochemical Study of the Coccolithophore, *Emiliana huxleyi*, in the north Atlantic. *Global Biogeochem. Cycles* 7: 879-900.

Hopkinson, O., J. Gosselink and R. Panardo. 1978. Aboveground production of seven marsh plant species in coastal Louisiana. *Ecology* 59: 760-769.

Howes, B., J. Dacey and J. Teal. 1985. Annual C mineralization and belowground production of *Spartina alterniflora* in a new England salt marsh. *Ecology* 66: 595-605.

Hunter, R. D. Effects of grazing on the quantity and quality of freshwater aufwuchs. *Hydrobiologia* **69**, 251-259 (1980).

Iriarte, A., G. Daneri, V. Garcia, D. Purdie and D. Crawford. 1991 Plankton community respiration and its relationship to Cha concentration in marine coastal waters. *Oceanologia Acta* 14:379-387.

Jacobs, R., den Hartog, C., Braster, C. & Carrière, F. Grazing of the seagrass *Zostera noltii* by birds at Terschelling (Dutch Wadden Sea). *Aquat. Bot.* 10, 241-259 (1981).

Jacoby, J. M. Alterations in periphyton characteristics due to grazing in a Cascade foothill stream. *Fresh. Biol.* **18**, 495-508 (1987).

- Jensen, L. M. & Schwaerter, S. Major pathways involved in the utilization of primary production in a temperate eutrophic lake. *Verh. Internat. Verein. Limnol.* **23**, 445-450 (1988).
- Jensen, L. M., K. Sand-Jensen, S. Marcher and M. Hansen. 1990. Plankton community respiration along a nutrient gradient in a shallow Danish Estuary. *Mar. Ecol. Prog. Ser.* **61**:75-85
- Jespersen, A. M., Christoffersen, K. & Riemann, B. Annual carbon fluxes between phyto-, zoo-, and bacterio-plankton in eutrophic, Lake Frederiksborg Slotssø, Denmark. *Verh. Internat. Verein. Limnol.* **23**, 440-444 (1988).
- Johnson, F.L. and P.G. Rissor. 1974. Biomass, annual net primary production and dynamics of six mineral elements in a post oak-blackjack oak forest. *Ecology*. **55**: 1246-1258
- Johnson, K. M., C. M. Burney and J. Sieburth. 1981. Enigmatic marine ecosystem metabolism measured by direct diel  $\Sigma\text{CO}_2$  and  $\text{O}_2$  flux in conjunction with DOC release and uptake. *Mar. Biol.* **65**:49-60.
- Johnstone, I. M. (1981) Consumption of leaves by herbivores in mixed mangrove stands. *Biotropica* **13**: 252-259.
- Joiris, C., G. Billen, C. Lancelot, M. Daro, J. Mommaerts, A. Bertels, M. Bossicart and J. Nijs. 1982. A budget of Carbon Cycling in the Belgian Coastal Zone: Relative roles of zooplankton, bacterioplankton and benthos in the utilization of Primary Production. *Neth. J. Sea Res.* **16**:260-275.
- Josselyn M. N., A. C. Mathieson (1980). Seasonal influx and decomposition of autochthonous macrophyte litter in a north temperate estuary. *Hydrobiologia* **71**: 197-208.
- Josselyn, M., M. Fonseca, T. Niesen and R. Larson. 1986. Biomass, production and decomposition of a deep water seagrass, *Halophila decipiens* Ostenf. *Aquat. Bot.* **25**: 47-61.
- Jupp, B. P. & Spence, D. H. N. Limitations of macrophytes in a eutrophic lake, Loch Leven. II Wave action, sediments and waterfowl grazing. *J. Ecol.* **65**, 431-446 (1977).
- Kamiyama, T. 1994. The impact of grazing by microzooplankton in northern Hiroshima Bay, the Seto Island Sea, Japan. *Mar. Bio.* **119**:77-88.
- Karagatzides, J. D. & Hutchinson, I. Intra-specific comparisons of biomass dynamics in *Scirpus americanus* and *Scirpus maritimus* on the River Delta. *J. Ecol.* **79**, 459-476 (1991).

- Kemp, W. M. and W. R. Boynton. 1980. Influence of biological and physical processes on dissolved oxygen dynamics in an Estuarine System: implication for measurement of community metabolism. *Estuar. Coast. Mar. Sci.* 2:407-431.
- Kenney, B., W. Litaker, C. Duke and J. Ramus. 1988. Community oxygen metabolism in a shallow tidal estuary. *Estuar. Coast. Shelf Sci.* 27:33-34.
- Kenworthy, J. and G. Thayer. 1984. Production and decomposition of the roots and rhizomes of seagrasses, *Zostera marina* and *Thalassia testudinum*, in temperate and subtropical marine ecosystems. *Bull. Mar. Sci.* 35: 364-379.
- Khailov, K. M. & Burlakova, Z. P. Release of dissolved organic matter by marine seaweeds and distribution of their total organic production to inshore communities. *Limnol. Oceanogr.* 14, 521-527 (1969).
- Kiene, W. and P. Hutchings. 1994. Bioerosion experiments at Lizard Island, Great Barrier Reef. *Coral Reefs* 13:91-98.
- King, F., A. Devol and T. Packard. 1978. Plankton metabolic activity in the eastern tropical North Pacific. *Deep-Sea Res.* 25: 689-704.
- Kira, T. in *Tropical trees as living systems* (eds Tomlinson, P. B. & Zimmerman, M. H.) 561-590 (Cambridge University Press, New York, 1978)
- Kirkman, D. & Reid, D. A study of the role of the seagrass *Posidonia australis* in the carbon budget of an estuary. *Aquat. Bot.* 7, 173-183 (1979).
- Klopatek, J. & Stearns, F. Primary productivity of Emergent Macrophytes in a Wisconsin freshwater marsh ecosystem. *Am. Mid. Nat.* **100**, 320-332 (1978).
- Klumpp D. and N. Polunin. 1989. Partitioning among grazers of food resources within damselfish territories on a coral reef. *J. Exp. Mar. Ecol. Biol.* 125: 145-169.
- Klumpp, D., R. Howard, D. Pollard. 1989. Trophodynamics and nutritional ecology of seagrass communities, p. 349-475. In A. Larkum, A. McComb and S. Sepherd S. [eds], *Biology of Seagrasses: a Treatise on the Biology of Seagrasses with Special Reference to the Australian Region*. Elsevier.
- Klumpp, D. W., Salita-Espinosa, J. S. & Fortes, M. D. The role of epiphytes and macroinvertebrate grazers in the trophic flux of a tropical seagrass community. *Aquat. Bot.* 43, 327-349 (1992)
- Klumpp, D. W., Salita-Espinosa, J. S. & Fortes, M. D. Feeding ecology and trophic role of sea urchins in a tropical seagrass community. *Aquat. Bot.* 45, 205-229 (1993).
- Knauer, G.A., Martin, J.H. and Bruleud, K.W. 1979. Fluxes of particulate carbon, nitrogen and phosphorus in the upper water column of the northeast Pacific. *Deep-sea Research.* 26: 97-108

Koop, K., R. Newell and M. Lucas. 1982. Biodegradation and carbon flow based on kelp (*Ecklonia maxima*) debris in a Sandy Beach Microcosm. *Mar. Ecol. Prog. Ser.* 7:315-326.

Kristensen, E. 1993. Seasonal variations in Benthic Community Metabolism and nutrient dynamics in a Shallow, Organic-poor danish lagoon. *Estuar. Coast. Shelf Sci.* 36:565-586.

Kristensen, E., F. Andersen and T. Blackburn. 1992. Effects of benthic macrofauna and temperature on degradation of macroalgal detritus: the fate of organic carbon. *Limnol. Oceanogr.* 37: 1404-1419.

Kruse, B. 1993. Measurement of plankton O<sub>2</sub> respiration in gas-tight plastic jars. *Mar. Ecol. Prog. Ser.* 94:155-163.

Kuparinen, J. 1986. Production and respiration for overall plankton and ultraplankton communities at the entrance to the Gulf of Finland in the Baltic Sea. *Mar. Biol.* 63:591-607.

Lampert, W. Climatic conditions and planktonic interactions as factors controlling the regular succession of spring algal bloom and extremely clear water in Lake Constance. *Verh. Internat. Verein. Limnol.* **20**, 969-974 (1978).

Lapointe, B.E., Niell, F. and Fuentes, J.M. 1981. Community structure, succession and production of seaweeds associated with mussel-beds in the Ria de Arosa, NW Spain. *Mar. Ecol. Prog. Ser.* 5: 243-253

Lawes, E., Bienfang, P., Ziemann, D. & Conquest, L. Phytoplankton population dynamics and the fate of production during the spring bloom in Auke Bay, Alaska. *Limnol. Oceanogr.* 33, 57-65 (1988).

LeBorgne, R., Blanchot, J. and L. Charpy. 1989. Zooplankton of Tikehau atoll (Thamoth archipelago) and its relationship to particulate matter. *Mar. Biol.* 102: 341-353.

LeBorgne, R., M. Rodier, A. LeBouteiller, and M. Kulbicki. 1997. Plankton biomass and production in an open atoll lagoon: Uvea, New Caledonia. *J. Exp. Mar. Biol. Ecol.* 212:187-210.

Lee, S. 1989. The importance of sesarminae crabs *Chiromanthes* sp. and inundation frequency on mangrove (*Kandelia Kandel* (L.) Durce) leaf litter turnover in a Hong Kong Tidal shrimp pond. *J. Exp. Mar. Biol. Ecol.* 1989. 131: 23-43.

Lee, S. 1990. Net aerial primary productivity, litter production and decomposition of the reed *Phragmites communis* in a nature reserve in Hong-Kong: management implications. *Mar. Ecol. Prog. Ser.* 66:161-173.

Leigh, E. G. & Windsor, D. M. in *Ecology of a tropical forest: seasonal rhythms and long term changes* 111-123 (eds Leigh, E. G., Raud, A. & Windsor, D. M. (Smithsonian Institution Press, Washington, 1983).

- Lenz, J., A. Morales and J. Gunkel. 1993 Meso zooplankton standing stock during the North Atlantic spring bloom study in 1989 and its potential grazing pressure on phytoplankton: a comparison between low, medium and high latitudes. *Deep-Sea Res. (II)* 40: 559-572.
- Li M. S., S. Y. Lee (1998). Carbon dynamics of Deep Bay, eastern Pearl River Estuary, China. I: A mass balance budget and implications for shorebird conservation. *Mar. Ecol. Prog. Ser.* 172: 73-87.
- Lignell, R., Heiskanen, A. S., Kuosa, H., Gundersen, K., Kuuppo-Leinikki, P., Pajuniemi, R. & Uitto, A. Fate of phytoplankton spring bloom: sedimentation and carbon flow in the planktonic food web in the northern Baltic. *Mar. Ecol. Prog. Ser.* 94, 239-252 (1993).
- Lindeboom, H. and B. De Bree. 1982. Daily production and consumption in a eelgrass (*Zostera marina*) community in Saline-Lake Grevelingen: discrepancies between the O<sub>2</sub> and <sup>14</sup>C methods. *Neth. J. Sea Res.* 16:362-379.
- Lindeboom, H. and A. Sandee. 1989. Production and consumption of tropical seagrass fields in eastern Indonesia measured with bell jars and microelectrodes. *Neth. J. Sea Res.* 23:181-190.
- Lindeboom H., W. Raaphorst, H. Ridderinkhof and H. W. van der Veer. 1989. Ecosystem model of the Western Wedden Sea: a bridge between science and management. *Helgolander Meeresunters* 43: 549-564.
- Lock, J. M. 1972. The effects of hippopotamus grazing on grasslands. *J. Ecol.* 60: 445-467.
- Lowman, M. D. Litterfall and leaf decay in three australian rainforest formations. *J. Ecol.* 76, 451-465 (1988).
- Mann, K. H. 1972. Ecological energetics of the sea-weed zone in a marine bay on the Atlantic coast of Canada. II. Productivity of seaweeds. *Mar. Biol.* 14: 199-209.
- Mann, K.H. 1985. Ecology of Coastal Waters. *Studies in Ecology Volume 8*. 2nd ed. Blacwell.
- Mann, K.H. 1988. Production and use and detritus in various freshwater, estuarine and coastal marine ecosystems. *Limnol. Oceanogr.* 33: 910-931.
- Mason, C. F. & Bryant, R. J. Periphyton production and grazing by chironomids in Alderfen Broad, Norfolk. *Freshwat. Biol.* 5, 271-277 (1975).
- McClaugherty CA, Pastor J, Aber JD (1985) Forest litter decomposition in relation to soil nitrogen dynamics and litter quality. *Ecology* 66: 266-275

- McInnes P. F., R. J. Naiman, J. Pastor and Y. Cohen. 1992. Effects of moose browsing on vegetation and litter of the boreal forest, Isle Royale, Michigan, USA. *Ecology* 73: 2059-2075.
- McLachlan, A. & Bate, G. Carbon budget for a high energy surf zone. *Vie milieu* 34, 67-77 (1984).
- McLusky, D.S. The estuarine ecosystem (Wiley, New York, 1981).
- McNaughton, S. J. Ecology of a grazing ecosystem: The Serengeti. *Ecol. Monogr.* **55**, 259-294 (1985).
- McNaughton, S. J., M. Oesterheld, D. A. Frank and K. J. Williams. 1989. Ecosystem-level patterns of primary productivity and herbivory in terrestrial habitats. *Nature* 341: 142-144.
- McQuaid, C. D and G. M. Branch. 1985. Trophic structure of rocky intertidal communities: response to wave action and implications for energy flow. *Mar. Ecol. Prog. Ser.* 22: 153-161.
- Mee, L. D. 1977. The Chemistry and Hydrography of Some Tropical Coastal Lagoons-Pacific Coast of Mexico. Ph. D. Thesis. University of Liverpool. Dept. of Oceanography, England.
- Megonigal, J. P. & Day Jr., F. P. Organic matter dynamics in four seasonally flooded forest communities of the dismal swamp. *Amer. J. Bot.* **75**, 1334-1343 (1988).
- Menhinick, E. F. Structure, Stability and Energy flow in plants and arthropods in a *Sericea lespedeza* stand. *Ecol. Monogr.* **37**, 256-272 (1967)..
- Menzel, D. and J. Ryther. 1960 The annual cycle of primary production in the Sargasso Sea off Bermuda. *Deep Sea Res.* 6:351-357.
- Merino, M., A. González, E. Reyes, M. Gallegos and S. Czitrom. 1992. Eutrophication in the lagoons of Cancún, México. *Science of the Total Environment, Supplement* (1992): 861-870.
- Miller, P. C., Miller, P. M., Blake-Jacobson, M., Chapin, F. S., III, Everett, K. R., Hilbert, D. H., Kummerow, J., Linkins, A. E., Marion, G. M., Oechel, W. C., Roberts, S. W. & Stuart, L. Plant-soil processes in *Eriophorum vaginatum* tussock tundra in Alaska: a systems modeling approach. *Ecol. Monogr.* **54**, 361-405 (1984).
- Mitchell DT, Coley PGF, Webb S, Allsopp N (1986) Litterfall and decomposition processes in the coastal fynbos vegetation, South-Western Cape, South Africa. *J. Ecol.* 74: 977-993.
- Montagna, P. A. In situ measurement of meiobenthic grazing rates on sediment bacteria and edaphic diatoms. *Mar. Ecol. Progr. Ser.* 18, 119-130 (1984).

- Moore, T. R. Growth and net production of *Sphagnum* at five fen sites, subarctic eastern Canada. *Can. J. Bot.* **67**, 1203-1207 (1989)
- Müller, P. J. & Suess, E. Productivity, sedimentation rate, and sedimentary organic matter in oceans- I. Organic carbon preservation. *Deep Sea Research* 26, 1347-1362 (1979).
- Murray, L. and R.L. Wetzel. 1987. Oxygen production and consumption associated with the major autotrophic components in two temperate seagrass communities. *Mar. Ecol. Progr. Ser.* 38: 231-239.
- Naiman, R. J. Primary production, standing stock and export of organic matter in a Mohave Desert thermal stream. *Limnol. Oceanogr.* **21**, 60-73 (1976).
- Nakamori, T., A. Suzuki, Y. Iryu, *Cont. Shelf Res.* 12, 951 (1992).
- Nakanishi, M., Y. Tezuka, T. Narita, O. Mitamura, K. Kawabata and S. Nakano. 1992. Phytoplankton primary production and its fate in a pelagic area of Lake Biwa. *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 35: 47-67.
- Nedwell, D. B., Walker, T. R., Ellis-Evans, J. C. & Clarke, A. Measurements of Seasonal Rates and Annual Budgets of Organic Carbon fluxes in an Antarctic Coastal Environment at Signy Island. *Appl. Environ. Microbiol.* 59, 3989-3995 (1993)
- Neely RK, Davis CB (1985) Nitrogen and phosphorus fertilization of *Spartanium eurycarpum* Engelm. And *Typha glauca* Godr. *Stands. II. Emergent plant decomposition. Aquat. Bot.* 22: 363-375.
- Neill, C. 1992. Life history and population dynamics of whitetop shoots under different levels of flooding and nitrogen supply. *Aquatic. Bot.* 42: 241-252.
- Nelson, W. J., J. A. Kadlec and H. R. Murkin. 1990. Seasonal comparison of weight for two types of *Typha glauca* Godr. leaf litter. *Aquat. Bot.* 37: 299-314.
- Nessel J. 1978. Distribution and dynamics of organic matter and phosphorus in a sewage enriched cypress stand. MS thesis, Univ. of Florida, Gainesville, Fla, 159 pp.
- Neudecker, S. 1979. Effects of grazing and browsing fishes on the zonation of Corals in Guam. *Ecology* 60: 666-672.
- Newell RC, Lucas MI, Linley EAS (1981) Rate of degradation and efficiency of conversion of phytoplankton debris by marine micro-organisms. *Mar Ecol Prog Ser* 6: 123-136
- Newell, R., J. Field and C. Griffiths. 1982. Energy Balance and significance of microorganisms in a kelp bed community. *Mar. Ecol. Progr. Ser.* 8:103-113.



Newell SY, Fell JW, Statzell-Tallman A, Miller C, Cefalu R (1984). Carbon and nitrogen dynamics in decomposing leaves of three coastal marine vascular plants of the subtropics. *Aquat Bot* 19: 183-192

Newell SY, Fell JW, Miller C (1986) Deposition and decomposition of turtlegrass leaves. *Int Rev Ges Hydrobiol* 71: 363-369

Nicotri, M. E. Grazing effects of four marine intertidal herbivores on the microflora. *Ecology* 58, 1020-1032 (1977)

Nielsen. Aboveground food resources and herbivory in a beech forest ecosystem. *Oikos* 31: 273-279 (1978).

Nienhuis, P. & Groenendijk, A. Consumption of eelgrass (*Zostera marina*) by birds and invertebrates: an annual budget. *Mar. Ecol. Prog. Ser.* 29, 29-35 (1986).

Nihlgard. 1972. Plant biomass, primary production and distribution of chemical elements in a beech and planted spruce forest in southern Sweden. *Oikos* 23: 69-81

Nixon S. and C. Oviatt. 1972. Preliminary measurements of midsummer metabolism in beds of eelgrass, *Zostera marina*. *Ecology* 53:150-153.

Nixon, S. and M. E. Pilson. 1984. Estuarine total system metabolism and organic exchange calculated from nutrient ratios: an example from Narragansset Bay, p. 261-291. *In* V. S Kennedy [ed.], *The Estuary as a filter*. Academic Press.

O'Connell AM (1987) Litter dynamics in Karri (*Eucalyptus diversicolor*) forest of South-Western Australia. *J. Ecol.* 75: 781-796.

O'Connell AM (1988) Nutrient dynamics in decomposing litter in karri (*Eucalyptus diversicolor* F. Muell) forests of South-Western Australia. *J. Ecol.* 76: 1186-1203.

Odum, E. P. (1971). *Fundamentals of Ecology*. 3rd ed. Saunders. Philadelphia, London & Toronto. pp. XIV +574.

Odum, E. P., C. E. Connell and L. B. Davenport. 1962. Population energy flow of three primary consumer components of old-field ecosystems. *Ecology* 43: 88-96.

Odum, H. T. Trophic structure and productivity of Silver Springs, Florida. *Ecol. Monogr.* 27, 55-112 (1957).

Odum, H. T. and R. F. Wilson 1962. Further studies on reareation and metabolism of Texas bays, 1958-1960. *Publ. Inst. Mar. Sci. Univ. Tex.*, 8:20-55.

Oechel, W. & Billings, W. D. in *Arctic Ecosystems in a changing climate. An Ecophysiological perspective*. (eds. Chapin III, F. Stuart, Jefferies, R. L., Reynolds, J. F., Shaver, G. R. & Svoboda, J.) 139-168 (Academic Press, New York, 1992).

- Ohmart, C. P., Stewart, L. G. & Thomas, J. R. Leaf consumption by insects in three Eucalyptus forest types in Southeastern Australia and their role in short-term nutrient cycling. *Oecologia* **59**, 322-330 (1983).
- Olson, J. S. in Analysis of temperate forest ecosystems. Ecological studies 1 (ed. Reichle, D. E.), 226-246 (Springer-Verlag, New York, 1970).
- Omuf, C., J. Teal and I. Valiela. 1977. Interactions of nutrients, plant growth and herbivory in a mangrove ecosystem. *Ecology* 58:514-526.
- Ong, J. E. (1993). Mangroves-a carbon source and sink. *Chemosphere* 27: 1097-1107.
- Ong JE, Gong WK, Wong CH. 1982. Studies on nutrient levels in standing biomass, litter and slash in a mangrove forest. Univ. Sains Malaysia, Penang, Sch. Biol. Sci., 44 p.
- Østergaard, F. and E. Kristensen. 1992. The importance of benthic macrofauna in decomposition of microalgae in a coastal marine sediment. *Limnol. Oceanogr.* 37:1392-1403.
- Otsuki A and Hanya T. 1972. Production of dissolved organic matter from dead green algal cells. I Aerobic microbial decomposition. *Limnol. Ocanogr* 17: 248-257
- Ott, J. and L. Maurer. 1977. Strategies of energy transfer from marine macrophytes to consumer levels: the *Posidonia Oceanica* example, p. 493-502. *In* B. Keegan [ed.], Biology of Benthic Organisms. Pergamon Press.
- Packard, T. T. 1979. Respiration and respiratory electron transport activity in plankton for the Northwest African upwelling area. *J. Mar. Res.* 37: 712-739.
- Packard, T. T. and P. J. le B Williams. 1981. Rates of respiratory oxygen consumption and electron transport in surface seawater from the northwest Atlantic. *Oceanologia acta* 4:351-358.
- Pakarinen, P. 1978. Production and nutrient ecology of three Sphagnum species in southern Finnish raised bogs. *Ann. Bot. Fennia* 15: 15-26
- Palm CA, Sanchez PA (1990) Decomposition and nutrient release patterns of the leaves of three tropical legumes. *Biotropica* 22: 330-338
- Panatmat, M. 1988. Ecology and metabolism of a benthic community on an intertidal sandflat. *Int. Revue. ges. Hydrobiol.* 53: 211-298.
- Pandey, C. B. and J. S. Singh. 1992. Rainfall and grazing effects on net primary productivity in a tropical savanna, India. *Ecology* 73: 2007-2021.
- Parson, K.A. and A.A. de la Cruz (1980) Energy flow and grazing behavior of conocephaline grasshoppers in a *Juncus roemerianus* marsh. *Ecology* 61(5):1045-1050

- Patriquin DG and McClung CR. 1978. Nitrogen accretion and the nature and possible significance of N<sub>2</sub> fixation (acetylene reduction) in a Nova Scotia *Spartina alterniflora* stand. *Mar Biol* 47: 227-242
- Pattersen, M., K. Sebans and R. Olsen. 1991. In situ measurements of flow effects on primary production and dark respiration in reef corals. *Limnol. Oceanogr.* 36:936-948.
- Peckol, P. B., J. S. Rivers (1996) Contribution by macroalgal mats to primary production of a shallow embayment under high and low nitrogen-loading rates. *Estuar. Coast. Shelf Sci.* 43: 311-325.
- Pedersen, M. F. and J. Borum. 1996. Nutrient control of algal growth in estuarine waters. Nutrient limitation and the importance of nitrogen requirements and nitrogen storage among phytoplankton and species of macroalgae. *Mar. Ecol. Prog. Ser.* 142: 261-272.
- Peduzzi P, Herndl GJ (1991) Decomposition and significance of seagrass leaf litter (*Cymodocea nodosa*) for the microbial food web in coastal waters (Gulf of Trieste, Northern Adriatic Sea). *Mar Ecol Prog Ser* 71: 163-174
- Pellikaan, G. and P. Nienhuis. 1988. Nutrient uptake and release during growth and decomposition of eelgrass, *Zostera marina* L., and its effect on the nutrient dynamics of Lake Grevelingen. *Aquat. Bot.* 30:189-214.
- Pergent, G., J. Romero, C. Pergent-Martini, M. Mateo and C. Boudouresque. 1994. Primary production, stocks and fluxes in the Mediterranean seagrass *P. oceanica*. *Mar. Ecol. Prog. Ser.* 106: 39-146.
- Perry, M.J. 1976. Phosphate utilization by an oceanic diatom in phosphorus-limited chemostat culture and in the oligotrophic waters of the central North Pacific. *Limnology and Oceanography* 21: 88-107
- Polunin, N. and D. Klumpp. 1992. Algal food supply and grazer demand in a very productive coral-reef zone. *J. Exp. Mar. Biol. Ecol.* 164:1-16.
- Pomeroy, L. R. and J. Johannes. 1968. Occurrence and respiration of ultraplankton in the upper 500 m of the ocean. *Deep Sea Res.* 15: 381-391.
- Poumba, K. 1994. Simulated degradation of phytodetritus in deep-sea sediments of the NE Atlantic (47°N, 19°W). *Mar. Ecol. Progr. Ser.* 105:291-299.
- Prego, R. General aspects of carbon biogeochemistry in the ria of Vigo, northwestern Spain. *Geochim. cosmochim. Acta* 57, 2041-2052 (1993).
- Proctor, J., Anderson, J. M., Fogden, S. C. L. & Vallack, H. W. Ecological Studies in Four Contrasting Lowland Rain Forests in Gunung Mulu National Park, Sarawak. *J. Ecol.* **71**, 261-283 (1983).

- Qasim, S and P. Bhattathiri. 1971. Primary production of a seagrass bed on Kavarotti Atoll (Laccavides). *Hydrobiologia* 38: 29-38.
- Randall, J. and J. W. Day. 1987. Effects of River Discharge and vertical circulation in aquatic primary production in a turbid Louisiana (USA) Estuary. *Neth. J. Sea Res.* 21: 231-242.
- Reader, R.J. and J.M. Stewart (1972) The relationship between net primary production and accumulation for a peatland in southeastern Manitoba. *Ecology* 53(6):1024-1037
- Reddy KR, DeBusk WF (1991) Decomposition of water hyacinth detritus in eutrophic lake water. *Hydrobiologia* 211: 101-109.
- Reichardt, W. and G. Dieckmann. In *Antarctic Nutrient Cycles and Food Webs* (eds. Siegfried, W. R., P. R. Condy and R. M. Laws) 115-122 (4<sup>th</sup> SCAR Symposium on Antarctic Biology, Springer-Verlag, New York, 1985).
- Reichle, D. E. & Crossley Jr. D. A. in *Secondary Productivity of Terrestrial Ecosystems* (ed Petrusewicz, K.) 563-581 (U. S Atomic Energy Commission, Warszawa, 1967).
- Reichle DE, Goldstein RA, Van Hook RI, Dodson GJ. 1973. Analysis of insect consumption in a forest canopy. *Ecology* 54: 1076-1084
- Richardson, C.J., G.M. Ferrell, and P. Vaithianathan (1999) Nutrient effects on stand structure, resorption efficiency, and secondary compounds in everglades sawgrass. *Ecology* 80(7):2182-2192
- Ritchie, M. E., D. Tilman and J. M. H. Knops. 1998. Herbivore effects on plant and nitrogen dynamics in Oak Savanna. *Ecology* 79: 165-177.
- Rizzo, W. and R. Wetzel. 1985. Intertidal and shoal benthic community metabolism in a temperate estuary: studies of spatial and temporal scales of variability. *Estuaries* 8: 342-351.
- Robertson, A. and P. Daniel. 1989. Decomposition and the annual flux of detritus from fallen timber in tropical mangrove forests. *Limnol. Oceanogr.* 34: 640-647.
- Rogers KH, Breen CM (1982) Decomposition of *Potamogeton crispus* L: The effects of drying on the pattern of mass and nutrient loss. *Aquat. Bot.* 12: 1-12.
- Romero, J., Pergent, G., Pergent-Martini, C., Mateo, M. A. & Regnier, C. The detritic compartment in a *Posidonia oceanica* meadow: litter features, decomposition rates and mineral stocks. *P. S. Z. N. I. Mar. Ecol.* 13, 69-83 (1992).
- Rublee PA, Roman MR (1982) Decomposition of turtlegrass (*Thalassia testudinum* Koning) in flowing sea-water tanks and litterbags: compositional changes and comparisons with natural particulate matter. *J Exp Mar Biol Ecol* 58: 47-58

- Sakshaug, E., A. Bjorge, B. Gulliksen, H. Loeng, and F. Mehlum. 1994. Structure, biomass, distribution, and energetics of the pelagic ecosystem in the Barents Sea: A synopsis. *Polar Biol.* 14:405-411.
- Schalles, J. F. & Shure, D. J. Hydrology, community structure, and productivity patterns of a dystrophic Carolina bay Wetland. *Ecol. Monogr.* **59**, 365-385 (1989)
- Schlesinger, W.H. 1978. Community structure, dynamics and nutrient cycling in the Okefenokee cypress swamp forest. *Ecol. Mono.* 48: 43-65
- Schlesinger, W. H. Biogeochemistry: an analysis of global change, 2<sup>nd</sup> ed. (Academic Press, San Diego, CA, 1997)
- Schowalter, T. D., J. W. Webb and D. A. Crossley Jr. 1981. Community structure and nutrient content of canopy arthropods in clearcut and uncut forest ecosystems. *Ecology* 62: 1010-1019.
- Scott, J.A., N.R. French, and J.W. Leethom (1979) Patterns of consumption in grasslands. In: *Perspectives in grassland ecology*. [Ed.] French N.R., New York: Springer-Verlag, 89-105 Cited in *Pomeroy, L.R. and R.G. Wiegert (1981) The Ecology on a Salt Marsh. New York, Springer-Verlag, pp 271*
- Seastedt TR (1988) Mass, nitrogen and phosphorus dynamics in foliage and root detritus of tallgrass prairie. *Ecology* 69: 59-65
- Sfriso A., A. Marcomini (1997). Macrophyte production in a shallow coastal lagoon. Part I: coupling with chemico-physical parameters and nutrients concentrations in waters. *Mar. Environ. Res.* 44: 351-375
- Sharma E, Ambasht RS (1987) Litterfall, decomposition and nutrient release in an age sequence of *Alnus nepalensis* plantation stands in the eastern Himalaya. *J. Ecol.* 75: 997-1010
- Sheldon, S. P. The effects of herbivorous snails on submerged macrophyte communities in Minnesota lakes. *Ecology* **68**, 1920-1931 (1987).
- Shin CN, Rhee GY and Chen J. 1987. Phosphate requirement, photosynthesis and diel cell cycle of *Scenedesmus obliquus* under fluctuating light. *Can J Fish Aquat Sci* 44: 1753-1758
- Sinclair, A. R. E. The resource limitation of trophic levels in tropical grassland ecosystems. *J. Anim. Ecol.* **44**, 497-520 (1975).
- Skjoldal, H. R. & L  nnergren, C. The Spring Phytoplankton Bloom in Lind  spollene, a Land-locked Norwegian Fjord. II. Biomass and Activity of Net- and Nanoplankton. *Mar. Biol.* 47, 313-323 (1978).

- Smalley, A. E. 1960. Energy flow of a salt marsh grasshopper population. *Ecology* 41: 672-677.
- Smith, K. L. Jr. 1992. Benthic Boundary Layer Communities and carbon cycling at abyssal depths in the Central North Pacific. *Limnol. Oceanogr.* 37:1034-1057.
- Smith, L. & Clymo, R. S. An extraordinary peat-forming community on the Falkland Islands. *Nature* **309**, 617-620 (1984).
- Smith, R. E., W. Harrison, B. Irwin and T. Platt. 1986. Metabolism and carbon exchange in microplankton of the Grand Banks (Newfoundland). *Mar. Ecol. Prog. Ser.* 34: 171-183.
- Smith, S.V. 1973. Carbon dioxide dynamics: a record of organic carbon production, respiration and calcification in the Eniwetok reef flat community. *Limnol. Oceanogr.* 18: 106-120.
- Smith, S. V. and J. T. Hollibaugh. 1993. Coastal metabolism and the oceanic organic carbon balance. *Rev. Geoph.* 31: 75-89.
- Smith, S. V., P. L. Jokiel (1978). Water composition and biogeochemical gradients in the Canton Atoll lagoon. *Atoll. Res. Bull.* 221: 15-53
- Smith, S. V., F. Pesret (1974). Processes of carbon dioxide flux in the Fanning Island lagoon. *Pac. Sci.* 28: 225-245
- Smith, S. V., P. L. Jokiel, G. S. Key (1978) Biogeochemical budgets in coral reef ecosystems. *Atoll Res. Bull.* 220: 1-11.
- Smith, W. O. Jr. 1977. The respiration of photosynthetic carbon in eutrophic areas of the ocean. *J. Mar. Res.* 35:557-565.
- Soholt, L. F. 1973. Consumption of primary production by a population of kangaroo rats (*Dipodomys merriami*) in the Mojave desert. *Ecological Monographs* 43: 357-376.
- Sorokin, Y. 1983. The Black Sea, p. 253-292. *In* B. Ketchum [ed.], *Estuaries and Enclosed Seas. Ecosystems of the World* n° 26 Elsevier.
- Soszka, G. J. The invertebrates on submerged macrophytes in three masurian lakes. *Ekol. pol.* **23**, 371-391 (1975).
- Spencer, P. 1977. Carbon budgets and vertical zonation of atlantic reef corals, p. 391-396. *In* D. Taylor [ed.], *Proceedings of the the third coral reef symposium, (I) Biology.* Springer-Verlag.
- Stanley, D. W. A carbon flow model of epipellic algal productivity in Alaskan Tundra Ponds. *Ecology* **57**, 1034-1042 (1976).

- Strom, S. and N. Welschmeyer. 1991. Pigment specific rates of phytoplankton growth and microzooplankton grazing in the open subarctic Pacific Ocean. *Limnol. Oceanogr.* 36:50-63.
- Strugnell, R. G. & Pigott, C. D. Biomass, shoot-production and grazing of two grasslands in the Rwenzori National Park, Uganda. *J. Ecol.* **66**, 73-96 (1978).
- Suess, E. 1980. Particulate organic carbon flux in the oceans: surface productivity and oxygen utilization. *Nature* 288: 260-263.
- Svensson, B.H. and T. Rosswell. 1980. Energy flow through the sub-arctic mire at Stordalan. in: *Ecology of sub-arctic mire* (ed. M. Sonesson). Ecological Bulletin no. 30. Swedish Natural Science Research Council. Liber Tryck, Stockholm.
- Tanaka Y (1991) Microbial decomposition of reed (*Phragmites communis*) leaves in a saline lake. *Hydrobiologia* 220: 119-129.
- Tanner, E. 1980. *J of Ecology* 68: 833
- Taylor BR, Parkinson D, Parsons WJ (1989) Nitrogen and lignin content as predictors of litter decay rates: a microcosm test. *Ecology* 70: 97-104
- Teal, J. 1962. Energy flow in the salt marsh ecosystem of Georgia. *Ecology* 43:615-624.
- Tenhunen, J. D., Lange, O. L., Hahn, S., Siegwolf, R. & Oberbauer, S. F. in *Arctic Ecosystems in a changing climate. An Ecophysiological perspective.* (eds. Chapin III, F. Stuart, Jefferies, R. L., Reynolds, J. F., Shaver, G. R. & Svoboda, J.) 213-238 (Academic Press, New York, 1992).
- Tertsching, W. 1989. Diel activity patterns and foraging dynamics of the sea urchin *Triplonectes ventricosus* in a tropical seagrass community and a reef environment (Virgin Islands). *Mar. Ecol.* 10: 3-21.
- Thornton, D. D. 1971. The effect of complete removal of hippopotamus on grasslands in the Queen Elizabeth National Park, Uganda. *East African Wildlife Journal* 9: 47-55.
- Tijssen, S. B. 1979. Diurnal oxygen rhythm and primary production in the mixed layer of the Atlantic Ocean at 20°N. *Neth. J. Sea Res.* 13: 79-84.
- Tijssen, S. and A. Eijgenraam. 1982 Primary and Community production in the Southern Bight of the North Sea deduced from oxygen concentration variations in the spring of 1980. *Neth. J. Sea Res.* 16: 247-259.
- Tilzer, M. M. Estimation of phytoplankton loss rates from daily photosynthetic rates and observed biomass changes in Lake Constance. *J. Plank. Res.* **6**, 309-324 (1984).

- Twilley RR, Blanton LR, Brinson MM, Davis GJ (1985) Biomass production and nutrient cycling in aquatic macrophyte communities of the Chowan River, North Caroline. *Aquat. Bot.* 22: 231-252.
- Twilley RR, Ejdung G, Romare P, Kemp M (1986) A comparative study of decomposition, oxygen consumption and nutrient release for selected aquatic plants occurring in an estuarine environment. *Oikos* 47: 190-198
- Twilley, R., A. Lugo and C. Pattersen-Zuca. 1986. Litter production and turnover in basin mangrove forests in southwest Florida. *Ecology* 67:670-683.
- Udell, H.F., J. Zamdsky and T.E. Doherry. 1969. Productivity and nutrient values of plants growing in the salt marshes of the Town of Hempstead. *Bull. of the Torrey Bot. Club* 96: 42-51
- Urabe, J., M. Nakanishi and K. Kawabata. 1995. Contribution of metazoan plankton to the cycling of nitrogen and phosphorus in Lake Biwa. *Limnol. Oceanogr.* 40: 232-241.
- Vadstein, O., Harkjerr, B., Jensen A., Olsen, Y. & Reinertsen, H. Cycling of organic carbon in the photic zone of a eutrophic lake with special reference to the heterotrophic bacteria. *Limnol. Oceanogr.* **34**, 840-855 (1989).
- Valiela I, Wilson J, Buchsbaum R, Riesma C, Bryant D, Foreman K, Teal J (1984) Importance of chemical composition of salt marsh litter on decay rates and feeding by detritivores. *Bull Mar Sci* 35: 261-269
- Van Cleve, K., R. Barney, and R. Schleuter. 1981. Evidence of temperature control of production and nutrient cycling in two interior Alaska black spruce ecosystems. *Can. J. For. Res* 11: 258-273
- Van Cleve, K., Oliver, L., Schlentner, R., Viereck, L. A. & Dyrness, C. T. Productivity and nutrient cycling in taiga forests ecosystems. *Can. J. For. Res.* **13**, 747-766 (1983).
- Van der Valk, A. and P. Attiwill. 1984. Decomposition of leaf and root litter of *Avicennia marina* at Westernport Bay, Victoria, Australia. *Aquat.Bot.* 18:205-221.
- Van der Valk AG, Rhymer JM, Murkin HR (1991) Flooding and the decomposition of litter of four emergent plant species in a prairie wetland. *Wetlands* 11: 1-16
- Van Hook, R. I. Energy and nutrient dynamics of spider and orthopteran populations in a grassland ecosystem. *Ecol. Monogr.* **41**, 1-25 (1971).
- Van Wick, R. J. 1988. Ecological studies on *Potamogeton pectinatus* L. I. General characteristics, biomass production and life cycles under field conditions. *Aquat. Bot.* **31**, 211-258.



Varley, G. C. (1970). The concept of energy flow applied to a woodland community. In: Animal populations in relation to their food resources. (ed. Watson, A.) pp. 389-405 (10<sup>th</sup> BES Symp, Blackwell Scientific, Oxford).

Velimirov B. and M. Walenta-Simon. 1992. Seasonal changes in specific growth rates, production and biomass of bacterial community in the water column above a Mediterranean seagrass system. *Mar. Ecol. Prog. Ser.* 80: 1237-248.

Vidal, M. 1991. Estudios sobre la dinámica de nutrientes en sistemas estuaricos: flujos sedimento-agua de nutrientes y oxígeno. Ph. D. Tesis. Universidad de Barcelona, Spain.

Wahbeh MI, Mahasneh AM (1985). Some aspects of decomposition of leaf litter of the seagrass *Halophila stipulacea* from the Gulf of Aqaba (Jordan) *Aquat. Bot.* 21: 237-244

Wallace, J. B. & O'Hop, J. Life on a fast pad: waterlily leaf beetle impact on water lilies. *Ecology* **66**, 1534-1544 (1985).

Wallentinus I. 1981. Chemical constituents of some baltic macroalgae in relation to environmental factors. *Proc. Int. Seaweed Symp.* 10: 363-370

Walsh, J. J. (1988). How much shelf production reaches the deep sea. In: Productivity of the ocean: present and past. Dahlem Workshop 53. Berlin.

Walsh I, Dymond J, Collier R (1988) Rates of recycling of biogenic components of settling particles in the ocean derived from sediment trap experiments. *Deep-Sea Res* 35:43-58

Wanders, J. B. W. The role of benthic algae in the shallow reef of Curaçao (Netherlands Antilles) III: The significance of grazing. *Aquat. Bot.* 3, 357-390 (1977).

Weisse, T., Müller H., Pinto-Coelho, M., Schweizer, A., Springmann, D. & Baldringer G. Response of the microbial loop to the phytoplankton spring bloom in a large prealpine lake. **35**, 781-794 (1990).

Welschmeyer, N.A., Lorenzen C, J. Chlorophyll budgets: zooplankton grazing and phytoplankton growth in a temperate fjord and the Central Pacific Gyres. *Limnol. Oceanogr.* 30, 1-21 (1985)

Wetzel, R. and P. Penhale. 1983. Photosynthesis, light response and metabolism of submerged macrophyte communities in the lower Chesapeake Bay, p. 50-107. In R.L. Wetzel [ed.], Structural and functional aspects of the ecology of submerged aquatic macrophyte communities in the lower Chesapeake Bay, vol. I. U.S. EPA Final Grant Report No. R 805974 and X003245-01 and Virginia Institute of Marine Science SRAMSOE 267, Gloucester Point, Virginia.

Whealer, B. D. & Shaw, S. C. Above-ground crop mass and species richness of the principal types of herbaceous rich-fen vegetation of lowland England and Wales. *J. Ecol.* **79**, 285-301 (1991).

- White, D., T. Weiss, J. Trapani and L. Thien. 1978. Production and decomposition of the dominant salt marsh plants in Louisiana. *Ecology* 59: 751-759.
- Whitfield, D. W. A. Energy inputs and ecological efficiencies on Truelove Lowland. In: Truelove Lowland, Devon Island, Canada: A High Arctic Ecosystem (ed. Bliss, L. C.) pp. 607-620 (University of Alberta Press, Edmonton, 1977).
- Whittaker, R.H. *Communities and Ecosystems* (MacMillan, London, 1975).
- Whittaker, R. H. and G. M. Woodwell. 1969. Structure, production and diversity of the oak pine forest at Brookhaven, New York. *J. Ecol.* 57: 155-174.
- Wiegert, R. & Evans, F. Primary production and the disappearance of dead vegetation on an old field in southeastern Michigan. *Ecology* **45**, 49-63 (1964).
- Wielgolaski, F. E. 1975. Functioning of Fennoscandian Tundra Ecosystems. In: *Fennoscandian Tundra Ecosystems. Part 2: Animals and System Analyses* (ed. Wielgolaski, F. E.) 300-326 (Springer-Heidelberg).
- Williams, S. L. and R. C. Carpenter. 1988. Nitrogen-limited primary productivity of coral reef algal turfs: potential contribution of ammonium excreted by *Diadema antillarum*. *Mar. Ecol. Prog. Ser.* 47: 145-152.
- Wolff, M., V. Koch, and V. Isaac (2000) A trophic flow model of the Caeté mangrove estuary (north Brazil) with considerations for the sustainable use of its resources. *Estuarine, Coastal, and Shelf Science* 50:789-803
- Woodwell, G. M. & Botkin, D. B. in *Analysis of temperate forest ecosystems. Ecological studies 1* (ed. Reichle, D. E.), 281-302 (Springer-Verlag, New York, 1970).
- Woodwell, G. M., R. A. Houghton, C. A. S. Hall, D. E. Whitney, R. A. Moll and D. W. Juers. 1979. The Flax Pond ecosystem study: the annual metabolism and nutrient budgets of a salt marsh. pp: 491-511. In: R. L. Jefferies and A. J. Davy (eds.), *Ecological Processes in Coastal Environments. Symposium of the British Ecological Society.* Blackwell Scientific, Oxford, England.
- Yap, H., A. Montebon and R. Dizon. 1994. Energy Flow and seasonality in a tropical coral reef flat. *Mar. Ecol. Prog. Ser.* 103:35-43.
- Zak, D. R., D. Tilman, R. P. Parmenter, C. W. Rice, F. M. Fisher, J. Vose, D. Milchunas, C. W. Martin. 1994. Plant production and soil microorganisms in late-successional ecosystems: a continental study. *Ecology* 75: 2333-2347.
- Zieman, J. C., G. Thayer, M. Robblee and R. Zieman. 1979. Production and export of seagrasses from a tropical bay, p. 21-33. In R. J. Livingston [ed.], *Ecological Processes in Coastal and Marine Systems*, Plenum Press.

Ziemann, D. A., P. K. Bienfag, K.W. Fulton-Bennett, W. Kottenmeier and L.D. Conquest. 1993. Carbon budget for the spring bloom in Auke Bay, Alaska. *Mar. Biol.* 115: 509-521.